

Industrial Hose & Couplings

CAM AND GROOVE COUPLINGS




































PRODUCT INDEX

Pirtek stock a complete range of Cam & Groove Couplings for quick, tight leak proof connections to pipe, hose, tubing or tanks. Cam & Groove Couplings are suitable for use with liquids, vapours, gases and dry products from 1/2" to 8" as standard size in both BSP and NPT thread forms

The easy to use connection is made simply by pushing the coupler onto the adaptor and closing the cam locking handles. The coupler requires the use of a Buna (Nitrile) gasket, which meets the requirements of most applications. Food quality Neoprene, Silicone, Viton, PTFE or EPDM gaskets are available for specific applications.

Cam & Groove Couplings are available in Stainless Steel, Polypropylene, Brass Alloy, and Aluminium. The excellent chemical resistance properties of these materials ensures the couplings can be used to carry a wide range of mediums, or used in diverse and often aggressive environments. A full chemical resistance guide can be found at the back of this catalogue.

Hygienic Cam and Groove Hose Tails are available on request. Please contact your local Pirtek Centre for information relating to these products.

	Series	Page		Series	Page		
	Aluminium Couplings Adaptor Female BSPT	K333A-AL	408		Polypropylene Couplings Adaptor to Hose Tail DIN2817	K333E-PP	411
	Bronze Couplings Adaptor Female BSPT	K333A-BR	408		Stainless Steel Couplings Adaptor to Hose Tail DIN2817	K333E-SS	411
	Polypropylene Couplings Adaptor Female BSPT	K333A-PP	408		Aluminium Couplings Adaptor Male BSPT	K333F-AL	411
	Stainless Steel Couplings Adaptor Female BSPT	K333A-SS	408		Bronze Couplings Adaptor Male BSPT	K333F-BR	411
	Aluminium Couplings Coupler Male BSPT	K333B-AL	408		Polypropylene Couplings Adaptor Male BSPT	K333F-PP	411
	Bronze Couplings Coupler Male BSPT	K333B-BR	408		Stainless Steel Couplings Adaptor Male BSPT	K333F-SS	411
	Polypropylene Couplings Coupler Male BSPT	K333B-PP	409		Aluminium Couplings Dust Plug	K334A-AL	412
	Stainless Steel Couplings Coupler Male BSPT	K333B-SS	409		Bronze Couplings Dust Plug	K334A-BR	412
	Aluminium Couplings Coupler to Hose Tail DIN2817	K333C-AL	409		Polypropylene Couplings Dust Plug	K334A-PP	412
					Stainless Steel Couplings Dust Plug	K334A-SS	412
					Aluminium Couplings Dust Cap	K334B-AL	412
					Bronze Couplings Dust Cap	K334B-BR	412
					Polypropylene Couplings Dust Cap	K334B-PP	413
					Stainless Steel Couplings Dust Cap	K334B-SS	413
					Aluminium Couplings Coupler Flanged ASA 150	K333LB-AL	413
					Bronze Couplings Coupler Flanged ASA 150	K333LB-BR	413
					Polypropylene Couplings Coupler Flanged ASA 150	K333LB-PP	413
					Stainless Steel Couplings Coupler Flanged ASA 150	K333LB-SS	413
					Aluminium Couplings Adaptor Flanged ASA 150	K333LA-AL	414
					Bronze Couplings Adaptor Flanged ASA 150	K333LA-BR	414
					Polypropylene Couplings Adaptor Flanged ASA 150	K333LA-PP	414
					Stainless Steel Couplings Adaptor Flanged ASA 150	K333LA-SS	414
					Cam and Groove Seals Viton Seal	KVT	414
					Cam and Groove Seals EPDM Seal	KEM	414
					Cam and Groove Seals BUNA Seal	KBN	414
					Cam and Groove Seals PTFE Seal	KPF	414

For Technical Data please see Section 9

Aluminium Couplings Adaptor Female BSPT



Part Number	Coupling Size (ins)	Coupling Size (mm)	Female Thread (ins)
K333A-015-AL	1/2	15	1/2
K333A-020-AL	3/4	20	3/4
K333A-025-AL	1	25	1
K333A-032-AL	1 1/4	32	1 1/4
K333A-040-AL	1 1/2	40	1 1/2
K333A-050-AL	2	50	2
K333A-065-AL	2 1/2	65	2 1/2
K333A-080-AL	3	80	3
K333A-100-AL	4	100	4
K333A-125-AL	5	125	5
K333A-150-AL	6	150	6
K333A-200-AL	8	200	8

Stainless Steel Couplings Adaptor Female BSPT



Part Number	Coupling Size (ins)	Coupling Size (mm)	Female Thread (ins)
K333A-015-SS	1/2	15	1/2
K333A-020-SS	3/4	20	3/4
K333A-025-SS	1	25	1
K333A-032-SS	1 1/4	32	1 1/4
K333A-040-SS	1 1/2	40	1 1/2
K333A-050-SS	2	50	2
K333A-065-SS	2 1/2	65	2 1/2
K333A-080-SS	3	80	3
K333A-100-SS	4	100	4
K333A-125-SS	5	125	5
K333A-150-SS	6	150	6
K333A-200-SS	8	200	8

3.
10

Bronze Couplings Adaptor Female BSPT



Part Number	Coupling Size (ins)	Coupling Size (mm)	Female Thread (ins)
K333A-015-BR	1/2	15	1/2
K333A-020-BR	3/4	20	3/4
K333A-025-BR	1	25	1
K333A-032-BR	1 1/4	32	1 1/4
K333A-040-BR	1 1/2	40	1 1/2
K333A-050-BR	2	50	2
K333A-065-BR	2 1/2	65	2 1/2
K333A-080-BR	3	80	3
K333A-100-BR	4	100	4
K333A-125-BR	5	125	5
K333A-150-BR	6	150	6
K333A-200-BR	8	200	8

Aluminium Couplings Coupler Male BSPT



Part Number	Coupling Size (ins)	Coupling Size (mm)	Male Thread (ins)
K333B-015-AL	1/2	15	1/2
K333B-020-AL	3/4	20	3/4
K333B-025-AL	1	25	1
K333B-032-AL	1 1/4	32	1 1/4
K333B-040-AL	1 1/2	40	1 1/2
K333B-050-AL	2	50	2
K333B-065-AL	2 1/2	65	2 1/2
K333B-080-AL	3	80	3
K333B-100-AL	4	100	4
K333B-125-AL	5	125	5
K333B-150-AL	6	150	6
K333B-200-AL	8	200	8

Polypropylene Couplings Adaptor Female BSPT



Part Number	Coupling Size (ins)	Coupling Size (mm)	Female Thread (ins)
K333A-015-PP	1/2	15	1/2
K333A-020-PP	3/4	20	3/4
K333A-025-PP	1	25	1
K333A-032-PP	1 1/4	32	1 1/4
K333A-040-PP	1 1/2	40	1 1/2
K333A-050-PP	2	50	2
K333A-065-PP	2 1/2	65	2 1/2
K333A-080-PP	3	80	3
K333A-100-PP	4	100	4
K333A-125-PP	5	125	5
K333A-150-PP	6	150	6
K333A-200-PP	8	200	8

Bronze Couplings Coupler Male BSPT



Part Number	Coupling Size (ins)	Coupling Size (mm)	Male Thread (ins)
K333B-015-BR	1/2	15	1/2
K333B-020-BR	3/4	20	3/4
K333B-025-BR	1	25	1
K333B-032-BR	1 1/4	32	1 1/4
K333B-040-BR	1 1/2	40	1 1/2
K333B-050-BR	2	50	2
K333B-065-BR	2 1/2	65	2 1/2
K333B-080-BR	3	80	3
K333B-100-BR	4	100	4
K333B-125-BR	5	125	5
K333B-150-BR	6	150	6
K333B-200-BR	8	200	8

Industrial Hose & Couplings

CAM AND GROOVE COUPLINGS

Polypropylene Couplings Coupler Male BSPT

Part Number	Coupling Size (ins)	Coupling Size (mm)	Male Thread (ins)
K333B-015-PP	1/2	15	1/2
K333B-020-PP	3/4	20	3/4
K333B-025-PP	1	25	1
K333B-032-PP	1 1/4	32	1 1/4
K333B-040-PP	1 1/2	40	1 1/2
K333B-050-PP	2	50	2
K333B-065-PP	2 1/2	65	2 1/2
K333B-080-PP	3	80	3
K333B-100-PP	4	100	4
K333B-125-PP	5	125	5
K333B-150-PP	6	150	6
K333B-200-PP	8	200	8



Bronze Couplings Coupler To Hose Tail DIN2817

Part Number	Coupling Size (ins)	Coupling Size (mm)	Hose Tail Size (ins)
K333C-015-BR	1/2	15	1/2
K333C-020-BR	3/4	20	3/4
K333C-025-BR	1	25	1
K333C-032-BR	1 1/4	32	1 1/4
K333C-040-BR	1 1/2	40	1 1/2
K333C-050-BR	2	50	2
K333C-065-BR	2 1/2	65	2 1/2
K333C-080-BR	3	80	3
K333C-100-BR	4	100	4
K333C-125-BR	5	125	5
K333C-150-BR	6	150	6
K333C-200-BR	8	200	8



Stainless Steel Couplings Coupler Male BSPT

Part Number	Coupling Size (ins)	Coupling Size (mm)	Male Thread (ins)
K333B-015-SS	1/2	15	1/2
K333B-020-SS	3/4	20	3/4
K333B-025-SS	1	25	1
K333B-032-SS	1 1/4	32	1 1/4
K333B-040-SS	1 1/2	40	1 1/2
K333B-050-SS	2	50	2
K333B-065-SS	2 1/2	65	2 1/2
K333B-080-SS	3	80	3
K333B-100-SS	4	100	4
K333B-125-SS	5	125	5
K333B-150-SS	6	150	6
K333B-200-SS	8	200	8



Polypropylene Couplings Coupler To Hose Tail DIN2817

Part Number	Coupling Size (ins)	Coupling Size (mm)	Hose Tail Size (ins)
K333C-015-PP	1/2	15	1/2
K333C-020-PP	3/4	20	3/4
K333C-025-PP	1	25	1
K333C-032-PP	1 1/4	32	1 1/4
K333C-040-PP	1 1/2	40	1 1/2
K333C-050-PP	2	50	2
K333C-065-PP	2 1/2	65	2 1/2
K333C-080-PP	3	80	3
K333C-100-PP	4	100	4
K333C-125-PP	5	125	5
K333C-150-PP	6	150	6
K333C-200-PP	8	200	8



Aluminium Couplings Coupler To Hose Tail DIN2817

Part Number	Coupling Size (ins)	Coupling Size (mm)	Hose Tail Size (ins)
K333C-015-AL	1/2	15	1/2
K333C-020-AL	3/4	20	3/4
K333C-025-AL	1	25	1
K333C-032-AL	1 1/4	32	1 1/4
K333C-040-AL	1 1/2	40	1 1/2
K333C-050-AL	2	50	2
K333C-065-AL	2 1/2	65	2 1/2
K333C-080-AL	3	80	3
K333C-100-AL	4	100	4
K333C-125-AL	5	125	5
K333C-150-AL	6	150	6
K333C-200-AL	8	200	8



Stainless Steel Couplings Coupler To Hose Tail DIN2817

Part Number	Coupling Size (ins)	Coupling Size (mm)	Hose Tail Size (ins)
K333C-015-SS	1/2	15	1/2
K333C-020-SS	3/4	20	3/4
K333C-025-SS	1	25	1
K333C-032-SS	1 1/4	32	1 1/4
K333C-040-SS	1 1/2	40	1 1/2
K333C-050-SS	2	50	2
K333C-065-SS	2 1/2	65	2 1/2
K333C-080-SS	3	80	3
K333C-100-SS	4	100	4
K333C-125-SS	5	125	5
K333C-150-SS	6	150	6
K333C-200-SS	8	200	8



3-10

Aluminium Couplings Coupler Female BSPT



Part Number	Coupling Size (ins)	Coupling Size (mm)	Male Thread (ins)
K333D-015-AL	1/2	15	1/2
K333D-020-AL	3/4	20	3/4
K333D-025-AL	1	25	1
K333D-032-AL	1 1/4	32	1 1/4
K333D-040-AL	1 1/2	40	1 1/2
K333D-050-AL	2	50	2
K333D-065-AL	2 1/2	65	2 1/2
K333D-080-AL	3	80	3
K333D-100-AL	4	100	4
K333D-125-AL	5	125	5
K333D-150-AL	6	150	6
K333D-200-AL	8	200	8

Stainless Steel Couplings Coupler Female BSPT



Part Number	Coupling Size (ins)	Coupling Size (mm)	Male Thread (ins)
K333D-015-SS	1/2	15	1/2
K333D-020-SS	3/4	20	3/4
K333D-025-SS	1	25	1
K333D-032-SS	1 1/4	32	1 1/4
K333D-040-SS	1 1/2	40	1 1/2
K333D-050-SS	2	50	2
K333D-065-SS	2 1/2	65	2 1/2
K333D-080-SS	3	80	3
K333D-100-SS	4	100	4
K333D-125-SS	5	125	5
K333D-150-SS	6	150	6
K333D-200-SS	8	200	8

Bronze Couplings Coupler Female BSPT



Part Number	Coupling Size (ins)	Coupling Size (mm)	Male Thread (ins)
K333D-015-BR	1/2	15	1/2
K333D-020-BR	3/4	20	3/4
K333D-025-BR	1	25	1
K333D-032-BR	1 1/4	32	1 1/4
K333D-040-BR	1 1/2	40	1 1/2
K333D-050-BR	2	50	2
K333D-065-BR	2 1/2	65	2 1/2
K333D-080-BR	3	80	3
K333D-100-BR	4	100	4
K333D-125-BR	5	125	5
K333D-150-BR	6	150	6
K333D-200-BR	8	200	8

Aluminium Couplings Adaptor To Hose Tail DIN2817



Part Number	Coupling Size (ins)	Coupling Size (mm)	Hose Tail Size (ins)
K333E-015-AL	1/2	15	1/2
K333E-020-AL	3/4	20	3/4
K333E-025-AL	1	25	1
K333E-032-AL	1 1/4	32	1 1/4
K333E-040-AL	1 1/2	40	1 1/2
K333E-050-AL	2	50	2
K333E-065-AL	2 1/2	65	2 1/2
K333E-080-AL	3	80	3
K333E-100-AL	4	100	4
K333E-125-AL	5	125	5
K333E-150-AL	6	150	6
K333E-200-AL	8	200	8

Polypropylene Couplings Coupler Female BSPT



Part Number	Coupling Size (ins)	Coupling Size (mm)	Male Thread (ins)
K333D-015-PP	1/2	15	1/2
K333D-020-PP	3/4	20	3/4
K333D-025-PP	1	25	1
K333D-032-PP	1 1/4	32	1 1/4
K333D-040-PP	1 1/2	40	1 1/2
K333D-050-PP	2	50	2
K333D-065-PP	2 1/2	65	2 1/2
K333D-080-PP	3	80	3
K333D-100-PP	4	100	4
K333D-125-PP	5	125	5
K333D-150-PP	6	150	6
K333D-200-PP	8	200	8

Bronze Couplings Adaptor To Hose Tail DIN2817



Part Number	Coupling Size (ins)	Coupling Size (mm)	Hose Tail Size (ins)
K333E-015-BR	1/2	15	1/2
K333E-020-BR	3/4	20	3/4
K333E-025-BR	1	25	1
K333E-032-BR	1 1/4	32	1 1/4
K333E-040-BR	1 1/2	40	1 1/2
K333E-050-BR	2	50	2
K333E-065-BR	2 1/2	65	2 1/2
K333E-080-BR	3	80	3
K333E-100-BR	4	100	4
K333E-125-BR	5	125	5
K333E-150-BR	6	150	6
K333E-200-BR	8	200	8

Industrial Hose & Couplings

CAM AND GROOVE COUPLINGS

Polypropylene Couplings Adaptor To Hose Tail DIN2817

Part Number	Coupling Size (ins)	Coupling Size (mm)	Hose Tail Size (ins)
K333E-015-PP	1/2	15	1/2
K333E-020-PP	3/4	20	3/4
K333E-025-PP	1	25	1
K333E-032-PP	1 1/4	32	1 1/4
K333E-040-PP	1 1/2	40	1 1/2
K333E-050-PP	2	50	2
K333E-065-PP	2 1/2	65	2 1/2
K333E-080-PP	3	80	3
K333E-100-PP	4	100	4
K333E-125-PP	5	125	5
K333E-150-PP	6	150	6
K333E-200-PP	8	200	8



Bronze Couplings Adaptor Male BSPT

Part Number	Coupling Size (ins)	Coupling Size (mm)	Male Thread (ins)
K333F-015-BR	1/2	15	1/2
K333F-020-BR	3/4	20	3/4
K333F-025-BR	1	25	1
K333F-032-BR	1 1/4	32	1 1/4
K333F-040-BR	1 1/2	40	1 1/2
K333F-050-BR	2	50	2
K333F-065-BR	2 1/2	65	2 1/2
K333F-080-BR	3	80	3
K333F-100-BR	4	100	4
K333F-125-BR	5	125	5
K333F-150-BR	6	150	6
K333F-200-BR	8	200	8



Stainless Steel Couplings Adaptor To Hose Tail DIN2817

Part Number	Coupling Size (ins)	Coupling Size (mm)	Hose Tail Size (ins)
K333E-015-SS	1/2	15	1/2
K333E-020-SS	3/4	20	3/4
K333E-025-SS	1	25	1
K333E-032-SS	1 1/4	32	1 1/4
K333E-040-SS	1 1/2	40	1 1/2
K333E-050-SS	2	50	2
K333E-065-SS	2 1/2	65	2 1/2
K333E-080-SS	3	80	3
K333E-100-SS	4	100	4
K333E-125-SS	5	125	5
K333E-150-SS	6	150	6
K333E-200-SS	8	200	8



Polypropylene Couplings Adaptor Male BSPT

Part Number	Coupling Size (ins)	Coupling Size (mm)	Male Thread (ins)
K333F-015-PP	1/2	15	1/2
K333F-020-PP	3/4	20	3/4
K333F-025-PP	1	25	1
K333F-032-PP	1 1/4	32	1 1/4
K333F-040-PP	1 1/2	40	1 1/2
K333F-050-PP	2	50	2
K333F-065-PP	2 1/2	65	2 1/2
K333F-080-PP	3	80	3
K333F-100-PP	4	100	4
K333F-125-PP	5	125	5
K333F-150-PP	6	150	6
K333F-200-PP	8	200	8



Aluminium Couplings Adaptor Male BSPT

Part Number	Coupling Size (ins)	Coupling Size (mm)	Male Thread (ins)
K333F-015-AL	1/2	15	1/2
K333F-020-AL	3/4	20	3/4
K333F-025-AL	1	25	1
K333F-032-AL	1 1/4	32	1 1/4
K333F-040-AL	1 1/2	40	1 1/2
K333F-050-AL	2	50	2
K333F-065-AL	2 1/2	65	2 1/2
K333F-080-AL	3	80	3
K333F-100-AL	4	100	4
K333F-125-AL	5	125	5
K333F-150-AL	6	150	6
K333F-200-AL	8	200	8



Stainless Steel Couplings Adaptor Male BSPT

Part Number	Coupling Size (ins)	Coupling Size (mm)	Male Thread (ins)
K333F-015-SS	1/2	15	1/2
K333F-020-SS	3/4	20	3/4
K333F-025-SS	1	25	1
K333F-032-SS	1 1/4	32	1 1/4
K333F-040-SS	1 1/2	40	1 1/2
K333F-050-SS	2	50	2
K333F-065-SS	2 1/2	65	2 1/2
K333F-080-SS	3	80	3
K333F-100-SS	4	100	4
K333F-125-SS	5	125	5
K333F-150-SS	6	150	6
K333F-200-SS	8	200	8



3.
10

Aluminium Couplings Dust Plug



Part Number	Coupling Size (ins)	Coupling Size (mm)
K334A-015-AL	1/2	15
K334A-020-AL	3/4	20
K334A-025-AL	1	25
K334A-032-AL	1 1/4	32
K334A-040-AL	1 1/2	40
K334A-050-AL	2	50
K334A-065-AL	2 1/2	65
K334A-080-AL	3	80
K334A-100-AL	4	100
K334A-125-AL	5	125
K334A-150-AL	6	150
K334A-200-AL	8	200

Stainless Steel Couplings Dust Plug



Part Number	Coupling Size (ins)	Coupling Size (mm)
K334A-015-SS	1/2	15
K334A-020-SS	3/4	20
K334A-025-SS	1	25
K334A-032-SS	1 1/4	32
K334A-040-SS	1 1/2	40
K334A-050-SS	2	50
K334A-065-SS	2 1/2	65
K334A-080-SS	3	80
K334A-100-SS	4	100
K334A-125-SS	5	125
K334A-150-SS	6	150
K334A-200-SS	8	200

3.
10

Bronze Couplings Dust Plug



Part Number	Coupling Size (ins)	Coupling Size (mm)
K334A-015-BR	1/2	15
K334A-020-BR	3/4	20
K334A-025-BR	1	25
K334A-032-BR	1 1/4	32
K334A-040-BR	1 1/2	40
K334A-050-BR	2	50
K334A-065-BR	2 1/2	65
K334A-080-BR	3	80
K334A-100-BR	4	100
K334A-125-BR	5	125
K334A-150-BR	6	150
K334A-200-BR	8	200

Aluminium Couplings Dust Cap



Part Number	Coupling Size (ins)	Coupling Size (mm)
K334B-015-AL	1/2	15
K334B-020-AL	3/4	20
K334B-025-AL	1	25
K334B-032-AL	1 1/4	32
K334B-040-AL	1 1/2	40
K334B-050-AL	2	50
K334B-065-AL	2 1/2	65
K334B-080-AL	3	80
K334B-100-AL	4	100
K334B-125-AL	5	125
K334B-150-AL	6	150
K334B-200-AL	8	200

Polypropylene Couplings Dust Plug



Part Number	Coupling Size (ins)	Coupling Size (mm)
K334A-015-PP	1/2	15
K334A-020-PP	3/4	20
K334A-025-PP	1	25
K334A-032-PP	1 1/4	32
K334A-040-PP	1 1/2	40
K334A-050-PP	2	50
K334A-065-PP	2 1/2	65
K334A-080-PP	3	80
K334A-100-PP	4	100
K334A-125-PP	5	125
K334A-150-PP	6	150
K334A-200-PP	8	200

Bronze Couplings Dust Cap



Part Number	Coupling Size (ins)	Coupling Size (mm)
K334B-015-BR	1/2	15
K334B-020-BR	3/4	20
K334B-025-BR	1	25
K334B-032-BR	1 1/4	32
K334B-040-BR	1 1/2	40
K334B-050-BR	2	50
K334B-065-BR	2 1/2	65
K334B-080-BR	3	80
K334B-100-BR	4	100
K334B-125-BR	5	125
K334B-150-BR	6	150
K334B-200-BR	8	200

Industrial Hose & Couplings

CAM AND GROOVE COUPLINGS

Polypropylene Couplings Dust Cap

Part Number	Coupling Size (ins)	Coupling Size (mm)
K334B-015-PP	1/2	15
K334B-020-PP	3/4	20
K334B-025-PP	1	25
K334B-032-PP	1 1/4	32
K334B-040-PP	1 1/2	40
K334B-050-PP	2	50
K334B-065-PP	2 1/2	65
K334B-080-PP	3	80
K334B-100-PP	4	100
K334B-125-PP	5	125
K334B-150-PP	6	150
K334B-200-PP	8	200



Bronze Couplings Coupler Flanged ASA 150

Part Number	Coupling Size (ins)	Coupling Size (mm)
K333LB-015-BR	1/2	15
K333LB-020-BR	3/4	20
K333LB-025-BR	1	25
K333LB-032-BR	1 1/4	32
K333LB-040-BR	1 1/2	40
K333LB-050-BR	2	50
K333LB-065-BR	2 1/2	65
K333LB-080-BR	3	80
K333LB-100-BR	4	100
K333LB-125-BR	5	125
K333LB-150-BR	6	150
K333LB-200-BR	8	200



Stainless Steel Couplings Dust Cap

Part Number	Coupling Size (ins)	Coupling Size (mm)
K334B-015-SS	1/2	15
K334B-020-SS	3/4	20
K334B-025-SS	1	25
K334B-032-SS	1 1/4	32
K334B-040-SS	1 1/2	40
K334B-050-SS	2	50
K334B-065-SS	2 1/2	65
K334B-080-SS	3	80
K334B-100-SS	4	100
K334B-125-SS	5	125
K334B-150-SS	6	150
K334B-200-SS	8	200



Polypropylene Couplings Coupler Flanged ASA 150

Part Number	Coupling Size (ins)	Coupling Size (mm)
K333LB-015-PP	1/2	15
K333LB-020-PP	3/4	20
K333LB-025-PP	1	25
K333LB-032-PP	1 1/4	32
K333LB-040-PP	1 1/2	40
K333LB-050-PP	2	50
K333LB-065-PP	2 1/2	65
K333LB-080-PP	3	80
K333LB-100-PP	4	100
K333LB-125-PP	5	125
K333LB-150-PP	6	150
K333LB-200-PP	8	200



Aluminium Couplings Coupler Flanged ASA 150

Part Number	Coupling Size (ins)	Coupling Size (mm)
K333LB-015-AL	1/2	15
K333LB-020-AL	3/4	20
K333LB-025-AL	1	25
K333LB-032-AL	1 1/4	32
K333LB-040-AL	1 1/2	40
K333LB-050-AL	2	50
K333LB-065-AL	2 1/2	65
K333LB-080-AL	3	80
K333LB-100-AL	4	100
K333LB-125-AL	5	125
K333LB-150-AL	6	150
K333LB-200-AL	8	200



Stainless Steel Couplings Coupler Flanged ASA 150

Part Number	Coupling Size (ins)	Coupling Size (mm)
K333LB-015-SS	1/2	15
K333LB-020-SS	3/4	20
K333LB-025-SS	1	25
K333LB-032-SS	1 1/4	32
K333LB-040-SS	1 1/2	40
K333LB-050-SS	2	50
K333LB-065-SS	2 1/2	65
K333LB-080-SS	3	80
K333LB-100-SS	4	100
K333LB-125-SS	5	125
K333LB-150-SS	6	150
K333LB-200-SS	8	200



3.
10

Aluminium Couplings Adaptor Flanged ASA 150



Part Number	Coupling Size (ins)	Coupling Size (mm)
K333LA-015-AL	1/2	15
K333LA-020-AL	3/4	20
K333LA-025-AL	1	25
K333LA-032-AL	1 1/4	32
K333LA-040-AL	1 1/2	40
K333LA-050-AL	2	50
K333LA-065-AL	2 1/2	65
K333LA-080-AL	3	80
K333LA-100-AL	4	100
K333LA-125-AL	5	125
K333LA-150-AL	6	150
K333LA-200-AL	8	200

Bronze Couplings Adaptor Flanged ASA 150



Part Number	Coupling Size (ins)	Coupling Size (mm)
K333LA-015-BR	1/2	15
K333LA-020-BR	3/4	20
K333LA-025-BR	1	25
K333LA-032-BR	1 1/4	32
K333LA-040-BR	1 1/2	40
K333LA-050-BR	2	50
K333LA-065-BR	2 1/2	65
K333LA-080-BR	3	80
K333LA-100-BR	4	100
K333LA-125-BR	5	125
K333LA-150-BR	6	150
K333LA-200-BR	8	200

Polypropylene Couplings Adaptor Flanged ASA 150



Part Number	Coupling Size (ins)	Coupling Size (mm)
K333LA-015-PP	1/2	15
K333LA-020-PP	3/4	20
K333LA-025-PP	1	25
K333LA-032-PP	1 1/4	32
K333LA-040-PP	1 1/2	40
K333LA-050-PP	2	50
K333LA-065-PP	2 1/2	65
K333LA-080-PP	3	80
K333LA-100-PP	4	100
K333LA-125-PP	5	125
K333LA-150-PP	6	150
K333LA-200-PP	8	200

Stainless Steel Couplings Adaptor Flanged ASA 150



Part Number	Coupling Size (ins)	Coupling Size (mm)
K333LA-015-PP	1/2	15
K333LA-020-PP	3/4	20
K333LA-025-PP	1	25
K333LA-032-PP	1 1/4	32
K333LA-040-PP	1 1/2	40
K333LA-050-PP	2	50
K333LA-065-PP	2 1/2	65
K333LA-080-PP	3	80
K333LA-100-PP	4	100
K333LA-125-PP	5	125
K333LA-150-PP	6	150
K333LA-200-PP	8	200

Cam and Groove Seals Viton Seal



Part Number	Coupling Size (ins)	Coupling Size (mm)
KVT-015	1/2	15
KVT-020	3/4	20
KVT-025	1	25
KVT-032	1 1/4	32
KVT-040	1 1/2	40
KVT-050	2	50
KVT-065	2 1/2	65
KVT-080	3	80
KVT-100	4	100
KVT-125	5	125
KVT-150	6	150
KVT-200	8	200

Cam and Groove Seals EPDM Seal



Part Number	Coupling Size (ins)	Coupling Size (mm)
KEM-015	1/2	15
KEM-020	3/4	20
KEM-025	1	25
KEM-032	1 1/4	32
KEM-040	1 1/2	40
KEM-050	2	50
KEM-065	2 1/2	65
KEM-080	3	80
KEM-100	4	100
KEM-125	5	125
KEM-150	6	150
KEM-200	8	200

Cam and Groove Seals BUNA Seal



Part Number	Coupling Size (ins)	Coupling Size (mm)
KBN-015	1/2	15
KBN-020	3/4	20
KBN-025	1	25
KBN-032	1 1/4	32
KBN-040	1 1/2	40
KBN-050	2	50
KBN-065	2 1/2	65
KBN-080	3	80
KBN-100	4	100
KBN-125	5	125
KBN-150	6	150
KBN-200	8	200

Cam and Groove Seals PTFE Seal



Part Number	Coupling Size (ins)	Coupling Size (mm)
KPF-015	1/2	15
KPF-020	3/4	20
KPF-025	1	25
KPF-032	1 1/4	32
KPF-040	1 1/2	40
KPF-050	2	50
KPF-065	2 1/2	65
KPF-080	3	80
KPF-100	4	100
KPF-125	5	125
KPF-150	6	150
KPF-200	8	200

3.
10